

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/437,004	11/09/1999	STEPHEN CREANEY	1749/261	7396
826	7590 05/11/2006		EXAMINER	
ALSTON & BIRD LLP			BELLO, AGUSTIN	
BANK OF AMERICA PLAZA 101 SOUTH TRYON STREET, SUITE 4000		F 4000	ART UNIT	PAPER NUMBER
CHARLOTTE, NC 28280-4000			2613	

DATE MAILED: 05/11/2006

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES PATENT AND TRADEMARK OFFICE

09/437,604

Under Secretary of Commerce for Intellectual Property and DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE

NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

The drawings filed $\frac{1-19-200}{1}$ have been received. However, an inconsistency exists between the drawings and the Brief Description of the Drawings in the specification.
Figures are listed in the Brief Description of the Drawings in the specification but not contained in the Drawings.
Figures are contained in the Drawings but not listed in the Brief Description of the Drawings in the specification.
Applicant is required to correct the above-noted inconsistency within a time period of ONE MONTH or THIRTY (30) DAYS, whichever is longer, from the mailing date of this Notice, or within the time remaining in the time period set forth in the Notice of Allowability (Form PTOL-37) to file corrected drawings, whichever is longer. NO EXTENSION OF THIS TIME PERIOD MAY BE GRANTED UNDER EITHER 37 CFR 1.136 (a) OR (b)
Failure to correct the above noted inconsistency will result in abandonment of the application.
The file will be held in the Publishing Division to await the correction of the inconsistency.
Return Corrected Drawings/Specification to: Mail Stop Issue Fee Commissioner for Patents P.O. Box 1450

Office of Patent Publication/Publishing Division Customer Service: 571-272-4200

1-888-786-0101

Alexandria, VA 22313-1450

FORM PTO-1631 (REV. 10-03)